



US00D712198S

(12) **United States Design Patent**
Arora

(10) **Patent No.:** **US D712,198 S**

(45) **Date of Patent:** **** Sep. 2, 2014**

(54) **CAPED DRINKWARE**

(71) Applicant: **Rajnish Arora**, Wooster, OH (US)

(72) Inventor: **Rajnish Arora**, Wooster, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/439,525**

(22) Filed: **Dec. 12, 2012**

(51) **LOC (10) Cl.** **07-01**

(52) **U.S. Cl.**
USPC **D7/396.2**

(58) **Field of Classification Search**

USPC D3/202; D7/213, 305, 392.1, 396.2,
D7/505, 507, 509, 501, 511, 523, 528, 533,
D7/536; 220/703, 705, 710, 713

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D305,576 S * 1/1990 Petersen, Jr. D2/823
D321,774 S * 11/1991 Smith, Jr. D2/824
2013/0180021 A1 * 7/2013 Danner 2/10

OTHER PUBLICATIONS

Caped Crusader Cups by Trend Hunter dated Apr. 8, 2012, found online [Nov. 15, 2013] <http://www.trendhunter.com/trends/superhero-pint-glasses>.*

Batman & Superman Cape and Costume Mugs with Handles by James Kelly, dated Jul. 12, 2012, found online [Nov. 25, 2013] <http://www.trendhunter.com/trends/superhero-pint-glasses>.*

* cited by examiner

Primary Examiner — Robert M Spear

Assistant Examiner — Marissa Cash

(74) *Attorney, Agent, or Firm* — Dinsmore & Shohl LLP

(57) **CLAIM**

I claim the ornamental design for caped drinkware, as shown and described.

DESCRIPTION

FIG. 1 is a side perspective view of a cape device attached to drinkware;

FIG. 2 is a front elevational view of a cape device attached to drinkware;

FIG. 3 is a side elevational view of a cape device attached to drinkware;


FIG. 4 is a rear elevational view of a cape device attached to drinkware;

FIG. 5 is a top view of a cape device attached to drinkware; and,

FIG. 6 is a bottom view of a cape device attached to drinkware.

The broken lines in the drawings represent unclaimed environmental subject matter.

1 Claim, 5 Drawing Sheets



U.S. Patent

Sep. 2, 2014

Sheet 1 of 5

US D712,198 S




FIG. 1

U.S. Patent

Sep. 2, 2014

Sheet 2 of 5

US D712,198 S




FIG. 2

U.S. Patent

Sep. 2, 2014

Sheet 3 of 5

US D712,198 S




FIG. 3

U.S. Patent

Sep. 2, 2014

Sheet 4 of 5

US D712,198 S




FIG. 4

U.S. Patent

Sep. 2, 2014

Sheet 5 of 5

US D712,198 S




FIG. 5




FIG. 6